Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	503	708/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:27
L2	1980	malik.in. or goel.in. and latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:28
L3	2	2 and "7.08"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:28
L4	1	(malik.in. or goel.in.) and latency and "708"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:28
L 5	2	(malik.in. and goel.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	⊙R	ON	-2005/04/05 20:30
L6	23290	"708"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:31
L7	1	1 and (full adj (adder\$1 or subtractor\$1)) and (previous adj (bit\$1 or block\$1 or combinational))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:32
L8	2595	708/300-323.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:33
وا	86	8 and (full adj (adder\$1 or subtractor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:33

L10	53	9 and (sequential or serial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:34
Lin	16	(carry-out or (carry adj out)) and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 20:37
L12	15	(carry-out or (carry adj out)) and	US-PGPUB;	OR	ON	2005/04/05 20:27
		previous and 9	USPAT; EPO; JPO; DERWENT; IBM_TDB	OK .	ON	2005/04/05 20:37



Fiome | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((full adder) <and> filter <and> latency)<in>metadata)"

Your search matched 2 of 1142142 documents.

De tiel & oilcon tiencoy

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» View Session History

s New Search

» Key

. HERR JNg. IEEE Journal or Magazine

JALBEL

IEE Journal or Magazine

ISSE CNF IEEE
Conference

Proceeding

ISSUNF IEE Conference

Proceeding

Modify Search

((((ull adder) <and> filter <and> latency)<in>metadata)

Check to search only within this results set

Display Formati G Citation (

G Citation C Citation & Abstract

Select Article information

1. Low-latency bit-parallel systolic VLSI implementation of FIR digital filters

Caraiscos, C.G.; Pekmestzi, K.Z.;

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on [see also Circuits and

Systems II: Express Briefs, IEEE Transactions on] Volume 43, Issue 7, July 1996 Page(s):529 - 534

AbstractPlus | References | Full Text: POF (452 KB) | HERE JING.

2. A systolic architecture for LMS adaptive filtering with minimal adaptation delay

Ramanathan, S.; Visvanathan, V.;

VLSI Design, 1996. Proceedings., Ninth International Conference on

3-6 Jan. 1996 Page(s):286 - 289

AbstractPlus | Full Text: PDF(316 KB) 1888 CRF


View Selector trems

Mirspec

Help Contact Us Privacy & Security IEEE.org

Copyright 2005 IEEE - All Rights Reserved

Copyright 2005 IEEE - All Rights Reserved



% inspec